

Brittney Schrick, Ph.D.

Assistant Professor Family Life Specialist

The Hidden Farm Crisis

Chronic Stress & Mental Health in Rural Communities

Overview


- What barriers do rural populations face when seeking support?
- What stressors have increased pressure on already struggling communities?
- How do these stressors impact individual producers and families?
 - How is the extension system is equipping farmers, agriculture workers, and their communities to cope?
 - What can we all gain from healthier rural communities?

Image: APA.org




What is Rural?

- Merriam-Webster: of or relating to the country, country people or life, or agriculture.
- The Census Bureau: any population, housing, or territory NOT in an urban area.
- US Office of Management and Budget: All counties that are not part of a Metropolitan Statistical Area (MSA) are considered rural.
- USDA Economic Research Service: Uses Rural-Urban Commuting Areas (RUCAs) delineating metropolitan, micropolitan, small town, and rural commuting areas and further subdivides into 21 secondary codes based on commuting flows local or to another census tract.




Arkansas Quick Facts

- Total population:3,004,279
- 75 counties
- 10 of 75 counties have fewer than 10,000 residents
- Top 10 most populous counties have over half the state population.



Calhoun County

- Total population: <5400
- 632 square miles (8.5 persons per sq. mi.)
- County Seat:
 Hampton, pop. 1285
- Health shortage area for mental health, primary care, dental



Pulaski County

- Total population:390,000+
- 808 square miles (483 persons per sq. mi.)
- County Seat: Little Rock, pop. 198,000
- No Health shortage area

- Top 10 most dangerous professions
- Stressors include constant responsibility, lack of separation between work and family life, isolation, intergenerational tension, climate change, injuries, financial struggles
- May lead to distress and despair
- Average Arkansas farmer is 58
- Age-related ailments increase stress
- Older farmers at higher risk for injury
- More difficult to access health care
- Rural residents die by suicide at higher rates than urban residents.




Socially disadvantaged farmers may experience compounding stressors:

- Limited access to loans or other monetary support
- Disproportionate heir's property concerns
- Lack of culturally competent outreach
- Higher rates of poverty



COVID-Related Stressors







- Supply chain limitations
- Limited access to supplies needed to maintain farming operation
- Farmers who engage in direct sales may be losing or gaining sales depending on whether they rely more on restaurants and institutions, or sell directly to consumers.
- Inability to pay employees
- Not having workers available to manage livestock or to plant and harvest crops
- Loss of income that leads to financial issues
- Market fluctuation
- Concerns about family well-being



Chronic Stress Management

- Identify stressors
- Notice how those stressors affect physical health, mental health, behavior, & relationships
- Identify existing resources, including current coping strategies
- Find additional resources
- Discuss ways to overcome barriers to additional help

Image: Shoppe Black

Barriers

- Accessibility
- Availability
- Acceptability
- Affordability
- Stigma



Image: Kentucky Farm Bureau



Cultural Competency

- The capacity for people to increase their knowledge and understanding of cultural differences
- The ability to acknowledge cultural assumptions and biases
- The willingness to make changes in thought and behavior to address those biases





 Address cultural, language, or communication barriers within a program that may hinder engagement

 Provide an environment where diverse individuals can negotiate treatment options or engage in conversations within the context of their cultural health beliefs and practices


 Use community health workers to reduce barriers to care for different populations

 Become familiar with and respectful of different beliefs and integrate them into plans or curricula when appropriate

Image: Black Farmers Index


Arkansas Extension Stress Management Resources













Farmers can become stressed by a range of challenges low commodity prices, debt, weather events, animal and crop issues, illness, injuries and other problems. This stress can carry over into farmers' personal lives and families. As a result, youth may experience stress from their family's farm conditions.

Warning Signs of Stress

FARM STRESS CAN AFFECT YOUTH EMOTIONALLY, PHYSICALLY AND SOCIALLY. SIGNS OF STRESS IN YOUTH ARE CATEGORIZED BELOW:

UAEX - Farm Stress

Mental Health First Aid

Food

- Food Safety
- ▼ <u>Health</u>

 AIM for CHangE
- Colon Cancer Screening
 Coronavirus
- Dining with Diabetes
- ▼ The PROMISE Initiative Prescription Opioid Misuse

Mental Health First Aid

Farm Stress

Insects-Human Pests
Insects-Pet Pests

Nutrition
 Rural Health



www.MentalHealthFirstAid.org

For adults in rural Mississippi, Extension offers Mental Health First Aid, an 8-hour course that teaches individuals how better to identify, understand, and respond to signs of mental health problems or crises, such as substance-use disorders.

Opioid-use disorder and mental health go hand-in-hand. Not only is opioid-use disorder a mental health problem, but often individuals try to cope with underlying mental health problems, such as depression or anxiety, with opioids or other substances.




R is for Rural and Resilie

Your Extension Experts



Dr Mary Nols







Emergency and Other Resources

- Suicide Lifeline: 1-800-273-8255 (TALK)
- Crisis Text Line: text HOME to 741741
- Arkansas Coalition Against Domestic Violence:

1-800-269-4688

- Crimes Against Children Hotline: 1-800-482-5694
- Call your doctor or local ER
- If you are physically unsafe or victimized, call your local police department or 911



Follow:

UAEX Family Life UAEX Farm Stress

On Facebook

Contact:

Dr. Brittney SchrickAssistant Professor
Family Life

bschrick@uaex.edu



University of Arkansas System